

SHERWIN-WILLIAMS

Inside Floor Paint

THE ENAMEL - LIKE FINISH

Sherwin-Williams Inside Floor Paint is a durable paint made especially for use on soft wood, and on discolored hardwood floors.

It is easily applied, dries quickly with an enamel-like gloss, and has excellent wearing qualities. Under favorable conditions it will dry hard overnight, but for the very best results it should be allowed to stand forty-eight hours before it is walked on.

Inside Floor Paint can be kept clean very easily, which makes it most suitable for kitchen floors.

Many of our large railway and steamship customers have been using this paint for years with the most satisfactory results, a fact which speaks for its unusual merits.

Put up in quart self-sealing cans; also half-gallon and gallon pails.

DIRECTIONS FOR USE

If the pigment has settled, pour the liquid into a clean vessel. Stir the remaining portion to a smooth, soft mass with a paddle. Then work the liquid in slowly by stirring.

The surface should be dry, smooth, firm, and free from loose paint, grease or dirt. Brush the paint out thoroughly into thin, even coats, using a good bristle brush and working the paint well into the pores of the wood. Be sure that each coat is perfectly hard before applying succeeding coat. On new floors and old floors not previously painted, three coats should be applied. The first coat only should be thinned by the addition of one pint pure spirits turpentine to each gallon paint. For the other coats use the paint as it comes from the package.

On previously painted surfaces, two coats should be applied without reduction. If the floor is cracked or boards have shrunk apart, use Sherwin-Williams Crack and Seam Filler after the first coat has been applied.

SHERWIN-WILLIAMS

Inside Floor Paint




**488
Light
Tan**



**452
Orange**



**487
Gray**



**469
Dust
Color**




**376
Yellow**



**468
Slate**



**466
Light
Brown**



**378
Maroon**

LIST OF SHERWIN-WILLIAMS PRODUCTS

For Buildings, Outside and Inside

Sherwin-Williams Paints Prepared (SWP).
Rexpar. A weather-resisting varnish.

For Staining Shingles

Preservative Shingle Stain. Made with creosote.

For Barns, Roofs, Fences, etc.

Commonwealth Barn Paint (Red and Gray).
Commonwealth Paint. For garages, arbors, fences
Ebonol. An elastic black paint for roofs.
Liquid Roof Cement. Asbestos fibre roof cement, in
black, red and green.
Elastic Roof Cement. Paste asbestos fibre roof ce-
ment in black, red and green.
Roof and Bridge Paint. Five serviceable colors.
Carbolic-ol. A high grade wood preservative.
Semi-Lustre

For Interiors, Walls, etc.

Enameloid or Old Dutch Enamel.
Flat-Tone. A washable flat wall paint.
Family Paint. A durable oil paint.
Semi-Lustre. A satin-finish interior paint.

For Floors

Porch and Deck Paint. Resists wear and weather.
Flo-Lac. A varnish stain for all purposes.
Inside Floor Paint. The enamel-like finish.
Mar-not. The water-resisting floor varnish.
Prepared Wax. For producing a wax finish.
Floor Wipe. Cleans and polishes hardwood floors.
Crack and Seam Filler. For filling unsightly cracks.

For Cupboards, Baseboards, Shelving, etc.

Family Paint. A durable oil paint.

For Chairs, Tables, Decorating, Woodwork, etc.

Old Dutch Enamel. For the finest enamel finish.
Enameloid. A complete line of beautiful enamel
colors.

Flo-Lac. A varnish stain.

Scar-not. A water-resisting varnish for interior
woodwork and furniture.

Rexpar. King of all Spar Varnishes.

For Polishing Pianos, Furniture, etc.

Polish-ol. Cleans and polishes in one operation.

For Porch and Lawn Furniture.

Enameloid. A complete line of beautiful enamel
colors.

For Stoves

Aluminum Paint. Bright as silver. Ready for
use.

Stove-Pipe and Iron Enamel.

For Radiators

Enameloid
Flat-Tone
Aluminum Paint
Gold Paint

For Autos, Buggies, Boats, etc.

Auto Enamel.
Auto Top Dressing.

For all Kinds of Varnishing

Sherwin-Williams Varnishes.

For Removing Old Paint and Varnish

Taxite. Paint and varnish remover.

For General Cleaning

Flaxoap. A 100% pure linseed oil soap.
Bras-Brite. Liquid metal polish.

Disinfectants.

Phenolene. A powerful Stock Dip and Disin-
fectant.

Oylapine. Odor of the Southern pine.


Fly Spray. A safe and reliable fly repellent for
livestock.

Insecticides

We manufacture a complete line of spraying ma-
terials for orchard and garden.

SHERWIN-WILLIAMS INSIDE FLOOR PAINT

THE ENAMEL-LIKE FINISH



SOLD BY
K. A. SPRAGUE
APARTMENT STORE
ROSCOE, N. Y.



THE SHERWIN-WILLIAMS CO.

ADMINISTRATION OFFICES AND FACTORY:
CLEVELAND, OHIO

OFFICES, FACTORIES AND WAREHOUSES IN
PRINCIPAL CITIES

CC125 S25 273



SHERWIN-WILLIAMS

Inside Floor Paint

THE ENAMEL-LIKE FINISH

She
is a
use c
hardv

It i
an er
weari
dition
for th
lowec
it is

Ins
very
for k

Ma
ship c
for y
sults,
merit

Pu
half-

If t
into
porti
padd
stirri

Th
and
Brus
even
work
the v
fectl
On n
pain
first
addi
to e
use t

On
should be applied without reduction. If the
floor is cracked or boards have shrunk
apart, use Sherwin-Williams Crack and
Seam Filler after the first coat has been
applied.

SHERWIN-WILLIAMS

Inside Floor Paint

Digitized by



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Jablonski Building Conservation
www.jbconservation.com